QUEENSLAND.

FOURTH ANNUAL REPORT

REGISTRATION OF BIRTHS, MARRIAGES, AND DEATHS.

Presented to both Houses of Parliament by Command of His Excellency the Governor.

THE REGISTRAR-GENERAL to THE HONORABLE THE COLONIAL SECRETARY.

Registrar-General's Office, Brisbane, 16th August, 1864.

SIR,

I have the honor to forward to you for presentation to Parliament, the Fourth Annual Report on the Vital Statistics of Queensland for the year 1863.

The population of Queensland has largely increased during the last three years, and, as a necessary consequence, the births, marriages, and deaths, requiring registration, are far more numerous than formerly. The occupied area of the Colony has also been added to in even a a greater ratio than the population. This has necessitated the proclamation of several new Registration Districts, situated at great distances from Brisbane, and with imperfect postal communication; to these causes is to be attributed the delay in the preparation of this document.

The Census taken on the 1st January, 1864, and published on the 1st July, 1864, shows a Population. population on the former day of 61,640 persons, consisting of 37,579 males and 24,062 females and on this basis of calculation the population on the 1st January, 1863, is estimated at 46,300 persons, viz., 28,177 males, and 18,123 females. Of the large increase which is thus shown to have taken place during the past year, this Report has only to deal with that very small portion arising from the excess of Births over Deaths, of which the following is a statement:-

		Males.	Females.	Total.
Excess of Births over Deaths during First Quarter	 	 32	117	149
Excess of Births over Deaths during Second Quarter	 	 91	122	213
Excess of Births over Deaths during Third Quarter	 	 94	202	296
Excess of Births over Deaths during Fourth Quarter	 	 79	209	288
Total increase during the year	 	 296	650	946

Comparing the above increase with the mean population of the year estimated at 53,970 centesimal inpersons, viz., 32,878 Males and 21,092 Females, the centesimal increase is of persons, 1.75—population from Males, 0.55; Females, 1.20.

The centesimal rates of increase arising from excess of Births over Deaths for each year, centesimal increase for four since the foundation of the Colony, calculated on the mean population of each year, are as follows:— years.

1860	 	 	 	 	 	 2.81
						2.92
1862	 	 	 	 	 	 2.27
1863						1.75

^{*} The above figures include certain Returns alluded to in a note at foot of Page 6 of Registrar-General's Report on Census of 1864.

Several causes combine to explain the above diminution in the annual rate of increase. First, I am sorry to say, there is a greatly increased mortality; secondly, the proportion of females is diminishing; and, thirdly, there is a gradual increase in the proportionate number of young persons below the marriageable age. The first, however, must be looked upon as the main cause, for although I believe, that in process of years, as population increases, the other two causes would certainly have the effect of reducing the annual rate of increase, until it approximated to the English rate of 1.11, their effects would be far more gradual than appears to have been the case in this instance.

Increase of females.

Whilst on the subject of population, and its increase from natural causes, it may not be out of place to observe the large proportion which females occupy. In the total increase, out of every 100 persons added to the population, 68.71 are females. On turning to table No 2 of the Appendix, it will be observed that a few more females than males were born. This is unusual, the preponderance being generally in favor of the males, and is quite too small an excess to account for the above large difference. If, however, we turn to Table No. 4, it is at once explained; for we there see that out of 1,275 deaths, 798 were of males; that is to say, that out of every 100 deaths, 62.59 are of males. When the large proportion of males in the whole population is taken into account, this great excess disappears, and the small remaining excess is easily explained, by the numerous risks to which men are exposed, but from which females as the rule are exempt. Thus, if we compare the deaths of males with the male population, and the deaths of females with the female population, the difference in the rate of mortality is found to be small, and only slightly to exceed the English rate. The following are the calculations:—

Annual rate of Mortality among Males 2·43 per cent Annual rate of Mortality among Females 2·26 ,,

In other words, in 10,000 males, there occur each year seventeen more deaths than happen in a like number of females, in the same period. The rates of mortality in England, on an average of ten years, are for males 2.32 per cent, for females 2.17 per cent; that is, there were fifteen more deaths per annum in 10,000 males than in the same number of females.

BIRTHS.

Male and female

The registered Births of the past year number 2,221—males, 1,094; females, 1,127. In the year 1862 the numbers were 1,702 Births—males, 903; females, 799. There is, therefore, a centesimal increase in the year 1863 of 30.49 in the total number of Births. This ratio of increase hardly keeps pace either with the annual increase of the mean population, or of the annual increase of the female portion of it—the former being at the rate of 32.92 per cent., and the latter at the rate of 32.74 per cent.

Table showing the Number of Births in the Years 1862 and 1863; also the Proportion of Females to Males born in each Year.

District.		1862.			1863.		Total increase in the latter year.	Increase per cent. in the latter year.	Females born to every 100 males born	Females born to every 100 males born
	м.	F.	Total.	м.	F.	Total.			in 1862.	in 1863.
Brisbane	300	286	586	383	409	792	206	35.15	95.33	106.79
Condamine ¹	26	23	49.	31	40	71	22	44.44	88.46	129 03
Dalby	39	32	71	51	39	90	19	26.76	82.06	76.47
Drayton	 72	88	160	93	92	185	25	15.63	122.22	98.92
Gayndah ²	 52	28	80	44	50	94	14	17.50	53.92	113.64
Ipswich	183	127	310	205	191	396	86	27.74	69.39	93.17
Kennedy	 8	1	9	11	7	18	9	100.00	12.50	63.64
Leichhardt ³	73	60	133	114	129	243	110	82.71	82.19	113.16
Port Curtis	 12	16	28	9	12	21	-7	-33:33	133.33	133.33
Taroom	 11	21	32	16	13	29	-3	-10:34	190.91	81.25
Warwick	 75	82	157	80	75	155	-2	-1.20	109.33	93.75
Wide Bay	 52	35	87	57	70	127	40	45.98	67:31	122.81
TOTAL	903	799	1,702	1,094	1,127	2,221	519	30.49	88.48	103.02

Births compared with mean population.

Comparing the registered Births of the year with the mean population, estimated to the middle of the year, and calculated on the assumption of a uniform rate of increase, they are in the proportion of one birth to each twenty-four of the population. In England, on an average of twenty two years, the proportions are one birth in each thirty of the population.

¹ Including, also, the three new registration districts, Goondiwindi, Mount Abundance, and Surat. ² Including also Nanango ³ Including Banana, Broad Sound, Peak Downs, Princhester, Rockhampton, and Springsure.

MARRIAGES.

The number of Marriages celebrated in 1863 is 774. In 1862 the number was 570, the Marriages of the increase is therefore at the rate of 35.79 per cent.; rather more than the rate of increase shown by compared. the population. The two following tables supply full information as regards numbers and social condition of the married, locality and religious denomination of the officiating clergyman.

TABLE showing the NUMBER of MARRIAGES celebrated in each of the Years 1862 and 1863.

District an	nd Yea	r.	Church of England.	Church of Rome.	Presbyterian.	Wesleyan Methodist.	Primitive Methodist.	United Methodist Free Churches.	Congregational.	Baptist,	Lutheran.	Registration Act.	TOTAL, 1862.	TOTAL, 1863.
Brisbane		(1862 (1863	56 70	38 • 70	42 82	24 22	5	7	31 23	10 20	20 - 22	20 31	241	352
Condamine		{ 1862 18631		' 1	2							1 13	1	16
Dalby		{1862 1863 1863	8 16	6	2							4 2	10 47	26
Drayton		\ \ \ 1862 \ \ \ 1863 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	23 7	9.	13	4			12		6			38
Gayndah		$\begin{cases} 1862 \\ 1863^2 \end{cases}$	1 3	2 *	ï					9		7 2	19	19
Ipswich		${1862 \atop 1863}$	15 20	29 3	14 4	16 17			13	2	3 - 3	6 11	98	89
Kennedy		$\begin{cases} 1862 \\ 1863 \end{cases}$										1 13	1	13
Maryborough		1862	12 7	6 4 15	 14					10 7		11 11	39	54
Port Curtis		{1862 1863	4									7 4	11	4
Rockhampton		1862 1863 ³	11 18	14 * 24	22 59				17 16			9 8	73	125
Taroom		{ 1862 1863	2	3 *								4 5	7	7
Warwick		{ 1862 1863	11 10	4,	6 9	1						1 4	23	31
TOTAL, TOTAL,			141 153	105 166	99 171	41 43	5	7	61, 52	31 40	23 * 31	69 ^ 106	570	774

Table showing the Social Condition of all Persons Married in the Colony of Queensland, from 1st December, 1859, to 31st December, 1863.

				Bachelors	Bachelors	Widowers	Widowers	UNDE	R AGE.	Total number of
	YEAR.			and Spinsters.	and Widows.	and Spinsters.	and Widows.	Males.	Females.	Marriages.
December 1 1860	859, an	d the	year	223	37	13	13	9	85	286
Per cent.				78.0	12.9	4.5	4.5	3.1	29.7	
1861				266	28	13	14	5	115	321
Per cent.				82.9	8.7	4.0	4:4	1.6	35.8	
1862				475	43	32	20	6	139	570
Per cent.				83.3	7.5	5.6	3.5	1.1	24.4	
1863				677	45	32	20	7	183	774
Per cent.				87.5	5.8	4.1	2.6	0.9	23.6	

Compared with the mean population of the year, one person in every 35 living in the Colony was married last year, that is to say the marriage rate was 2.87 per cent. of the whole population; in England the marriage rate is 1.64 per cent.

DEATHS.

The mortality of the year 1863 is in excess of any previous year. Comparing the deaths of peaths compared with popueach year with the mean population of the same period, it appears that, in 1860, the mortality was in lation. the ratio of 1.77 per cent.; in 1861 it was 1.56 per cent.; in 1862 it was 2.01 per cent; and in 1863, 2.36 per cent.; in other words, there was, in the year 1863, one death to 42 living in the Colony. In England the average proportion of the twenty-two years, ending with 1859, is one death in 45 living; from this it appears that our mortality last year was slightly greater than is found to be the

¹ Including the Marriages registered in the new districts of Goondiwindi, Mount Abundance, and Surat.

case in England. The most intelligible form in which to put this statement is, that out of every 10,000 of our population 12 more persons die than out of a like number in England. The following table compares the deaths of the two years, 1862 and 1863.

DEATHS in the Years 1862 and 1863.

			1862.			1863.		Number of Deaths in 1863	Number of Deaths of Females to
		Males.	Females.	Persons.	Males.	Females.	Persons.	for every 100 Deaths in 1862.	every 100 Deaths of Males in 1863.
Brisbane	 	150	126	276	273	230	503	182.25	84.25
Condamine ¹	 	 19	9	28	30	10	40	142.86	33.33
Dalby	 	 27	12	39	26	16	42	107.69	61.54
Drayton	 	 38	21	59	53	29	82	138.98	54.72
Gayndah ²	 	 35	9	44	33	9	4.2	95.24	27.27
Ipswich	 	 75	42	117	86	60	146	124.79	69.77
Kennedy	 	 8	2	10	16	3	19	190.00	18.75
Leichhardt ³	 	 90	34	124	170	76	246	198.39	44:71
Port Curtis	 	 3	2	5	9	2	11	220.00	22.22
Taroom	 	 18	6	24	18	8	26	108.33	44.44
Warwick	 	 30	10	40	48	14	62	155.90	29.17
Wide Bay	 	 23	8	31	36	20	56	180.65	44.12
TOTAL	 	 516	281	797	798	477	1,275	159.97	59.77

The following table is compiled for the purpose of facilitating a comparison between the Queensland mortality, at various ages, during the last four years, and the results of a similar calculation made in England in the year 1859. First, as regards the Queensland mortality of infants below one year old, it will be observed that the proportion they bear to the whole number of deaths, has diminished from 29.50 per cent to 25.80 per cent; this decrease is, therefore, compensated in the more advanced ages, each subsequent period showing a larger proportion than was the case in any of the previous three years. Within a small fraction (.82 per cent.), one-half the deaths of the Colony are of persons below the age of five years :-

Table showing the ratios that Deaths below various ages bear to the whole number of Deaths during each of the Years 1860, 1861, 1862, and 1863.

Years.	_	Under 1 year.	Under 5 years.	Under 10 years.	Under 20 years.	Under 50 years.	50 years and upwards.	Unspecified.	Total.
(Deaths during the year	141	215	225	236	403	59	16	478
1860	Per centage of deaths to the whole deaths of the year	29.50	44.98	47.07	49.37	84:31	12:34	3.35	
(Deaths during the year	136	196	210	232	429	47	23	499
1861	Per centage of deaths to the whole deaths of the year	27.25	39.28	42.08	46.49	85.97	9.42	4.61	
(Deaths during the year	222	362	384	416	687	90	20	797
1862 }	Per centage of deaths to the whole deaths of the year	27.85	45.42	48.18	52:20	86.20	11:39	2.51	
(Deaths during the year	329	627	692	741	1,118	102	55	1,275
1863 {	Per centage of deaths to the whole deaths of the year	25.80	49.18	54:27	58.12	87-69	8.00	4.31	
1860 (Deaths during the four years	828	1,400	1,511	1,625	2,637	298	114	3,049
1861) 1862 1863 (Per centage of deaths to the whole deaths of the four years	27.16	42.63	46.28	53.30	86.49	9.77	3.74	
	In England, in 1859, the per centage of deaths to the whole deaths of the year	23:92	41.76	46.40	51.92	Under 55 Years. 74.01	55 and upwards. 25.99		

The following table gives the average age of males, of females, and of persons who died during the past year, distinguishing between the metropolitan and the other registration districts of the Colony.

		MALES			FEMALE	es.		PERSON	S.
DISTRICTS.	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.
Metropolitan District Other Districts	 266 485	3,534 11,095	13·29 22·88	224 245	2,839 2,700	12.68 11.02	490 730	6,373 13,795	13·01 18·90
The whole Colony	 751	14,629	19.48	469	5,516	11.76	1,220	20,168	16.53

Including also the three new registration districts of Goondiwindi, Mount Abundance, and Surat.
 Including also Nanango.
 Including Banana, Broad Sound, Peak Downs, Princhester, Rockhampton, and Springsure.

A reference to No. 3 of Table No. 5 in the Appendix will explain the basis of the above calculations, where it will be seen that the age at death was specified in 1,220 out of the 1,275 deaths registered. The united ages of these 1,220 persons amounted to 20,168 years; their average age at death was, consequently, 16:53 years. There is reason to believe that the majority of the 55 deaths, at an age not specified in the registers, were the deaths of adults, so that the average ages in the table, though almost rigorously exact for the 1,220 cases analysed, are probably a little under those which would be deduced from an examination of all the deaths during the year. It will be observed that the table confirms what is known from other sources respecting the ages and distribution of the population.

The well-defined causes of Death of most frequent recurrence in the registers for the year causes of death. 1863, are arranged in the order of mortality in the subjoined table. The number of 1,000 Deaths has been taken to facilitate comparison with the proportional numbers given in a similar table by Dr. William Farr, in his analysis of the Causes of Death in England and Wales in the year 1859. Dr. Farr's assumed number is 1,000,000 deaths,—his proportional numbers have, therefore, been divided by 1,000. The proportional numbers are accurate to the nearest unit, and are round numbers only to the extent of an omitted or added fraction, always less than half the unit

Causes of Death.		Number of Deaths registered in 1863.	Proportional number from each cause to 1,000 Deaths from All Causes, in Queensland, in 1863.	Proportional number from each Cause to 1,000 Deaths from All Causes in Eng- land, in 1859.
Atrophy, Debility, and Marasmus Drowning (accident) Convulsions Phthisis (consumption) Croup Dysentery Diarrhea Scarlatina, and "Fever" Typhus, Gastric, and Typhoid Fever Diphtheria Teething Heart Disease Dropsy Fractures and Contusions (accident)	 	90 76 75 68 63 61 58 39 36 34 33 30 21 21	71 60 59 53 49 48 45 31 28 27 26 24 16 16	64 6 60 115 13 3 42 46 36 22 9 37 19
Premature Birth Hydrocephalus Thrush	 	 13 12	10 9	17 3

Every person examining the preceding table of deaths below various ages, must be struck peaths of with the large proportion of deaths of children; to enable this important subject to be more thoroughly investigated, I have prepared the following table of deaths of children.

DEATHS of CHILDREN.

									1862.			1863.	
			Distric	b. /				Below 2 years.	2 and under 5 years.	Total below 5 years.	Below 2 years.	2 and under 5 years.	Total below 5 years.
								700	0 =	1.00	000	F-1	000
Brisbane								126	37	163	232	51	283
alby								18	2	20	17	2	19
rayton								15	3	18	26	13	39
pswich								42	5	47	62	18	80
Kennedy								4	2	6	4	2	6
and Chambin								1		1	2	2 .	4
aroom								3		3	9	1	10
Varwick								11	4	1 15	18	7	25
Vide Bay								15	2	17	20	8	28
Condamine,	Goong	liwind	Mon	nt Abr				10	2	12	6	3	9
Banana, B	road	Sound	, Peal	k Dov	vns, I	Prinches	ter,}	40	6	46	80	31	111
Rockha Fayndah an			springs 					11	3	14	12	2	14
	r	COTAL						296	66	362	488	140	628

² One child specified only as below 2 years of age is, from the construction of the Nosological Tables in the Appendix, necessarily classed as of unspecified age.

Deaths of children in Queens, a number proportional to that ascertained by the Census at the end, there would with deaths of the such children in be 8,050 such children, the deaths of 628 of whom were registered; their annual death-rate England.

Was therefore 7:80 per cent. In England in 1859 the rate of mortality under five years was 6:95 was, therefore, 7.80 per cent. In England in 1859 the rate of mortality under five years, was 6.95 per cent., the mortality in Queensland being higher by 0.85 per cent., or 85 more deaths among 10,000 children than in England. At the English rate for 1859, instead of 628 deaths under five years, there would have been 559, or 69 fewer deaths. Of the 628 deaths of children, the causes of 573 were specified so as to admit of classification. The more fatal causes of death among children, during the year, are arranged in the order of mortality, in the following table.

	Ct	auses	of Death	•		Number of Deaths under 5 years registered in 1863.	Proportional number from each cause to 1,000 Deaths under 5 years from all causes in Queensland in 1863.	Proportional number from each cause to 1,000 Deaths under 5 years from all cause in England in 1859.
Atrophy, Debi	litv. a	nd M	Iarasmu	19	 	75	119	123
0. 1.						72	115	138
Croup					 	61	97	26
Diambono					 	50	80	80
Masthing						33	53	20
T ,						30	48	3
Diphtheria						26	41	27
Typhus, Gastr	ic, and	d Tv				23	37	19
Premature Bir						18	29	40
Scarlatina and	Fever				 	17	27	70
Thrush .						12	19	7
Hydrocephalus						11	18	34
1						112 5		

Number of deaths and births compared.

The last table which I have thought it necessary to compile is one comparing the Deaths with the Births in each separate District.

			Births.			Deaths.		Births of r Deaths	Births of rer Deaths	of Births
District.		Males.	Females.	Total.	Males.	Females.	Total.	Excess of Births of Males over Deaths of Males.	Excess of Births of Females over Deaths of Females,	Total excess o

Banana		4	6	10	6	3	9	-2	3	1
Brisbane		383	409	792	273	230	503	110	179	289
Broad Sound		3	2	5 34	4 7	1	5	-1 10	1 13	Nil.
Condamine	***	17	17		26	4	11			
alby		51	39	90		16	42	25	23	48
rayton		93	92	185	53	29	82	40	63	103
layndah		36	44	80	30	7	37	6	37	43
foondiwindi		5	7	12	7	4	11	-2	3	1
pswich		205	191	396	86	60	146	119	131	250
Taryborough		57	70	127	36	20	56	21	50	71
Iount Abundance		4	9	13	7	Nil.	7	-3	9	6
Vanango		8	6	14	3	2	5 7	5	4	9
eak Downs		2	2	4	6	1		-4	1	-3
ort Curtis		9	12	21	9	2	11	Nil.	10	10
ort Denison		11	7	18	16	3	19	-5	4	-1
rinchester		1	Nil.	070	2	Nil.	2	-1	Nil.	-1
lockhampton		102	117	219	145	69	214	-43 -5	48 Nil.	5 -5
pringsure		2	2 7	4	7 9	2 2	9	-5 -4	NII. 5	-5 1
urat		5 16	13	12 29	18	8	26	-4 -2	5	3
Yaroom		80	75	155	48	14	62	32	61	93
varwick	***			100		1.5	02	- 02		90
TOTAL		1,094	1,127	2,221	798	477	1,275	296	650	946

The death rates of the last four years, as given at page three, tend to prove the existence during the past year of an unusually great mortality, particularly among children; and it also appears that if we except the single district of Rockhampton, in which town the deaths are, as compared with its population, twice as numerous as in any other district of the Colony, the mortality of the country districts is greater than that of those districts containing comparatively large urban populations; thus, the deaths in the Brisbane district are in the ratio of 2.46 per cent. to its population; in the Ipswich district 1.52; in the Maryborough district 1.89 per cent; whilst in the other districts, excepting Rockhampton, the average per centage is 2.92. There is no doubt that many causes operate to produce this large mortality, and that if the towns suffer, as I have no doubt they do, from bad drainage, and from the decomposition of animal and vegetable matter permitted to accumulate in them, the country suffers fully as much from the prevalence of diseases peculiar to newly occupied and undrained districts, and, in addition, from the difficulty of obtaining medical assistance.

assistance. However this may be, it is certain that the mortality of last year exceeds the average mortality of England, and although the actual difference, as shown by figures, is not great, we must not forget the very different position of the two countries as regards pauperism and all its attendant miseries of destitution, starvation, filthy, crowded, and unwholesome dwellings, and consequent disease; if a fair deduction could be made for the deaths arising from this cause, happily almost unknown in Queensland, it would make the difference in the mortality of the two countries far greater.

Taking into consideration the salubrious climate of Queensland, the small number of aged persons, the abundance of wholesome food, the immunity from pauperism, the absence of large overcrowded towns, and of nearly all occupations injurious to health, it seems clear that our rate of mortality is far greater than it should be. Examining the returns, we find that out of 1,275 deaths, only 5 died of old age, and that the large proportion of 1,270 died prematurely, or from causes remediable to a greater or less extent. Let us suppose that we possess the means and the knowledge, if we employed them, of diminishing the above mortality by one half, here is at once a saving of 600 valuable lives in a single year; if it be believed that this estimate of our powers of prevention or cure be too great, although it would only restore the mortality of the Colony to its ratio of former years, we will, for the sake of argument, be content with reducing the number of lives saved to 300, or even to 100, even at this last minimum rate how much suffering would our small community be spared? How many parents would not be childless? How many wives or children would still be supported by the labors of their natural protectors, instead of being thrown on the charity of relatives, or left as burdens on the public? And, lastly, how serious is the responsibility of the community which shuts its eyes and neglects to employ the remedial powers within its reach? If any accident involving loss of life occurs, what searching inquiries are made-what public indignation is expressed, and even punishment inflicted, if negligence or carelessness can be shown to have occasioned it—and yet each week sees quietly withdrawn from our community a certain number, many of whose lives might probably by ordinary care and attention be lengthened for years; and this quiet stream of death is permitted to flow on unchecked, almost unnoticed, until, in a few months, it has swept away far more numerous victims than are sacrificed in the most frightful accidents on land or sea.

In support of the above assumption, that many lives might be lengthened by human means and foresight, I have prepared the following table comparing the average age at death in this Colony, as given at page four, and the average age at death in five districts in England, three of them in London, one embracing the agricultural county of Wiltshire, and one in the mining district of Kendal, compiled and published in 1859, by Mr. Chadwick in his sanitary report; the figures I shall leave to speak for themselves, only observing, that stronger proof cannot be produced of the urgent need of sanitary regulations and reform.

ENGLAND.

				HUDA			
						Number of Deaths.	Average Age at Death
Whitechapel Union		 				2,186	23.26 years
Strand Union		 	***	***		981	27.48 ,,
Kensington Union						1,937	29.60 ,,
Unions in the county of	Wilts	 				2,398	35.20 ,,
Kendal Union		 		***		603	36.09 ,,
			QUI	EENSI	AND.	Number of Deaths.	
						Number of Deaths.	Average Age at Death
Metropolitan District						490	13.01 years
Other Districts						730	7000
The whole Colom						1,220	70.50
The whole Colony		 				1,440	16.53 ,,

Were I to dwell on this subject as fully as its importance deserves, I should quite overstep the usual limits assigned to reports of this nature, I can only hope that the few remarks I have made may be the means of drawing attention to a great, and I fear, growing evil, but one which I believe it to be quite within our power to curb, by employing in Queensland, more especially in its sea-port towns, those sanatory regulations and appliances which experience, in older communities, has shown to be so effective, and which, even in this beautiful climate, we cannot dispense with.

In conclusion, I beg to draw your particular attention to the valuable assistance I have conclusion. received from Mr. Benjamin Reynolds, who acted for the Deputy Registrar-General during his absence, and by whom the tables appended to, and most of the tables embodied in, this report have been compiled.

I have the honor to be,
Sir,
Your obedient Servant,

F. O. DARVALL, Registrar-General.

APPENDIX

APPENDIX TO REGISTRAR-GENERAL'S REPORT ON THE VITAL STATISTICS OF QUEENSLAND, FOR THE YEAR 1863.

TABLE No. I.

POPULATION TABLE showing the Number of BIRTHS, MARRIAGES, and DEATHS, Registered in the Colony of Queensland during the Year 1863, and the Estimated Population on the First and Last day of that Year.

	ED POPULAR ANUARY, 186		ВІ	RTHS IN 186	33,	MARRIAGES IN 1863.	DI	EATHS IN 180	33.		ED POPULAT CEMBER, 180	
Males.	Females.	Total.	Males.	Females.	Total.	11 1000.	Males.	Females.	Total.	Males.	Females.	Total.
27,186	17,891	45,077	1,094	1,127	2,221	774	798	477	1,275	36,016	23,696	59,71

Population on the 31st December, 1863, as per Census:—

Males Females					37,579 24,061
Tota	1				61.640

BIRTHS.

TABLE No. II.

REGISTRATION DISTRICT.	FIRST	QUARTER,	SECOND	QUARTER.	THIRD	QUARTER.	FOURTH	QUARTER.	TO	TAL.	GRAND	Number of Females born
REGISTRATION DISTRICT.	Males.	Females.	TOTAL.	to every 100 Males born.								
Banana			3	2		1	1	3	4	6	10	150.00
Brisbane	. 88	86	92	104	87	100	116	119	383	409	792	106.79
Broad Sound												
Condamine	. 4	5	3	4	3	4	7	4	17	17	34	100.00
Dalby	. 15	8	14	11	13	9	9	11	51	39	90	76.47
Drayton	. 28	23	25	20	23	21	17	28	93	92	185	98.92
Gayndah	. 10	10	8	9	8	12	10	13	36	44	80	122.22
Goondiwindi			2		2	4	1	3	5	7	12	140.00
Ipswich	. 62	50	49	36	43	50	51	55	205	191	396	93.17
Maryborough	. 20	18	12	9	13	19	12	24	57	70	127	122.81
Mount Abundance				1	3	6	1	2	4	9	13	225.00
Nanango				2	3	1	5	3	8	6	14	75.00
Peak Downs					1	2	1		2	2	4	100.00
Port Curtis	. 4	4	2	1	1	3	2	4	9	12	21	133.33
Port Denison	. 1	1	2	1	4	1	4	4	11	7	18	63.64
Princhester							1		1		1	Nil.
Rockhampton	25	25	29	25	25	32	23	35	102	117	219	114:71
Springsure							2	2	2	2	4	100.00
Surat			1	4	3	1	1	2	5	7	12	140.00
Taroom	4	1	3	4	2	5	7	3	16	13	29	81.25
Warwick	. 13	11	26	21	28	19	13	24	80	75	155	93.75
	274	242	272	254	262	291	286	340	1,094	1,127	2,221	103:02
Total Births during Quarter.		516	5	26	5	53	6	26			2,221	

MARRIAGES.

TABLE No. 3.

Showing the Number of Marriages Registered in each District of the Colony of Queensland during the Year 1863, and the Religious Rites according to which they were solemnized.

tegistration District.	Church of England.	Church of Rome.	Presbyte-rian.	Wesleyan Methodist.	Primitive Methodist.	United Methodist Free Church.	Congrega- tional.	Baptist.	Lutheran.	Registra- tion Act.	TOTAL
d											
Banana							***				Nil.
Brisbane	70	70	82	22	5	7	23	20	22	31	352
Broad Sound		• • • •									Nil.
Condamine		1								4	26
Dalby	16	6								4	38
rayton	7	9		4			12		6		19
ayndah	3		1					13		2	3
doondiwindi			2							1	89
pswich	20	33	4	17			1		3	11	54
Maryborough	7	15	14					7		11	4
Tount Abundance						***				4	Nil.
Vanango		111									Nil.
Peak Downs											4
Port Curtis									***	4	13
Port Denison										13	Nil.
Princhester							7.0		***	6	123
Rockhampton	18	24	59				16			2	2
Springsure										4	4
Surat		0.0%								5	7
Taroom	2						1		1	4	31
Warwick	10	8	9		•••	•••				-1	
TOTAL	153	166	171	43	5	7	52	40	31	106	774

DEATHS.

TABLE No. 4.

	FIRST (QUARTER.	SECOND	QUARTER.	THIRD	QUARTER.	FOURTH	QUARTER.	TO	TAL.	GRAND	NUMBER OF DEATHS OF FE- MALES TO EVER
REGISTRATION DISTRICT.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	TOTAL.	100 DEATHS OF MALES IN 1863.
Banana Brisbane Broad Sound Condamine Dalby Dalby Drayton Goondiwindi Ipswich Maryborough Mount Abundance Nanango Peak Downs Pert Curtis Port Denison Princhester Rockhampton Springsure Springsure Surat Taroom Warwick	84 2 6 19 12 26 6 6 4 5 64 3 11	65 1 3 5 2 177 5 2 2 2 20 3	2 49 1 5 5 17 8 1 26 12 1 29 2 3 7 12	2 54 2 6 14 3 19 3	1 46 2 10 10 6 2 16 9 4 5 1 29 3 4 11 168	1 38 1 4 5 1 14 1 1 2 4 89	3 94 1 5 7 4 4 18 9 3 2 1 1 5 1 2 3 4 4 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	73 1 3 5 1 4 10 8 1 1 1 1 1 2 1 1 31	6 273 4 7 26 53 30 7 86 36 7 3 6 9 16 2 145 7 9 18 48	3 230 1 4 16 29 7 4 60 20 2 1 2 3 69 2 2 3 14 4 4 7 4 4 4 7 4 4 4 4 4 4 4 4 4 4 4	9 503 5 1 1 42 82 37 11 146 56 7 57 11 19 2 214 9 11 26 62	50·00 84·25 25·00 57·14 61·54 54·72 23·33 57·14 69·77 44·12 Nil. 66·67 16·67 22·22 18·75 Nil. 47·59 28·57 22·22 44·44 29·17
	3	667	3	13	2	57	3	38	1,5	275		

No. 1 of Table No. 5.

SUMMARY of DEATHS of Males Registered in Queensland, from 1st January to 31st December, 1863.

CAUSES OF DEATH,	Under 1 year	07	2 to 3.		4 to 5,	Total under 5 years	0 10	10 to 15.	to	20 to 25.	07	30 to 35.	35 to 40.	40	45 to 50.	50 to 55.	55 to 60.	100	65 to 70.	t.0	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	2.	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	 53	40	23	10	16	142	13	4	4	8	10	11	1	3	7	4	3	3	1		1	1				4	220	27.57
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes	 51 39 10 16 	7 9 3 13 2		3	1 1	20	1 1 	1	2 1 1 7	1	4	4 13 3 1	5 6 4 1 4 1	5 10 3 1 1 	3 7 2 1 	1 3 3 1 	3 2 3 1	1	2 1	2		1				9 3 1 2 2 22	127 79 86 29 44 10 2 2 132	15·91 9.90 10·78 3·63 5·51 1·25 0·25 16·54
Unspecified	 22	5	3	1	2	33			1									1	2							6	67	8:40
Total from all Causes	 192	79	36	21	20	348	27	12	16	39	53	57	43	43	33	28	18	18	8	2	1	3		2		47	798	99.99

No. 2 of Table No. 5. stered in Queensland, from SUMMARY of DEATHS of FEMALES Regi

CAUSES OF DEATH,		Under 1 year.	1 to 2.	07	to	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	40	20 to 25.	07	to	to	40	45 to 50.	to	to	07	100	40	to	40	to	90 to 95.	95 to 100.	٥.	Total.	Per centage on Total Deaths.
Zymotic Diseases		34	39	15	7	9	104	13	2	3	8	6	5	4	1	2		1										149	31.24
Sporadic Diseases.																													
2. Of Uncertain Seat		44	9	3	6	2	64	2	2	2	5	1	4	1	3	3	4	3			1							95	19.92
3. Of Nervous System		28	8	2	2	1	41	3	1		1	2	1	1						1	1							52	10.90
. Of Respiratory System	1	5	3	2	2	1	13	4	2	3	8	6	3	7			1		1								1	49	10.27
. Of Circulatory System			1				1				1		1	1		1												5	1.05
6. Of Digestive Organs		14	10	1	1	2	28	1			1		3	2	1	2	1	1										40	8.39
. Of Urinary Organs								1							1													2	0.42
3. Of Generative Organs											2,	3	2	1														8	1.68
. Of Locomotive Organs															1	,											1	2	0.42
. Of Integumentary System		1		;			1																					1	0.21
. Old Age																					2	1						3	0.63
External causes		1	2		2	1	6	9	1	2	1	2	4	2													2	29	6.08
Unspecified		10	7	2	2		21	5	1	2	1	2			1	1		1	1		2						4	42	8.81
Total from all Causes		137	79	25	22	16	279	38	9	12	28	22	23	19	8	9	6	6	2	1	6	1					8	477	100.02

No. 3 of Table No. 5.
Summary of Deaths of Males and Females Registered in Queensland, from 1st January to 31st December, 1863.

CAUSES OF DEATH.	year.					der 5 years).	2		tal all ges.	Total.	age on Deaths.
CAUSES OF DEATH,	Under 1	1 to 2.	2 to 3.	40	4 to 5.	Total und	5 to 10.	10 to 15.	15 to 20.	100	25 to 30.	to	40	to	to	40	to	40	65 to 70.	07	40	80 to 85.	85 to 90.	90 to 95.	95 to 100		Males.	Females.	Grand T	Per centage or Total Deaths.
1. Zymotic Diseases	87	79	38	17	25	246	26	6	7	16	16	16	5	4	9	4	4	3	1		1	1				4	220	149	369	28.94
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes	95 67 15 30 1	16 17 6 1 23 	5 8 5 : 3 : : : : :	9 6 5 1	2 1 2 1 2	127 94 33 2 59 1	5 3 5 2 1	3 2 3	2 3 2 1 1 	6 2 17 2 1 2	6 6 15 5 1	11 5 16 4 3 1 2	8 6 13 5 3 4 1 1	10 5 10 3 2 2 1	8 3 7 3 3	10 1 4	6 3 2 4 1	7 2	3 2 1	3 1		1				9	127 79 86 29 44 10 2	95 52	222 131	17.41 10.27
Unspecified	32	12	5	3	2	54	7	2			3		6			3				2						10	67	42		8.56
Total from all Causes	329	158	61	43	36	627	65	21	28	67	75	80	62	51	42	34	24	20	9	8	2	3		2		55	798	477	1275	100.01

No. 4 of Table No. 5.

Table showing the actual number of Deaths of Males and Females in each Class, Registered in Queensland during each of the Twelve Months from 1st January to 31st December, 1863, together with the per centage of the Total Deaths of the Class.

	JA	N.	FEI	В.	MAI	R.	API	RIL	MA	Y.	Jui	VE.	Ju:	LY.	Au	ſĠ.	SEI	PT.	Oc	T.	No	v.	Di	EC.	Тот	AL.	Ι.	e of ths of
Causes of Death.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Total Deatl
1. Zymotic Diseases	 15	14	14	15	29	12	21	18	21	16	17	10	13	6	15	10	15	8	12	14	21	14	27	12	220	149	369	28.94
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 7. Of Digestive Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes 13. Unspecified 14. One of Digestive Organs 15. One of Digestive Organs 16. Of Integumentary System 17. Old Age 18. Old Age 19. Old Age	 144 7 10 3 1 1 9 4	3 4 5 1 1	14 6 7 5 7 2 13 3	6 5 2 4 2 2 1 2	21 14 7 4 10 2 14 8	7 3 2 2 1	2 3	4 8 1 1 	8 6 7 2 1 8 6	8 2 1 1 1	9 4 5 4 6 2 2 10 6	1 1 4	5 7 1 3 8	6 2 2 1 1	4 4 2 2 1	1 6 3 1	ii	4	5	4 2 2 2 	10 10 2 2 	5 7	6 12 2 1 25	6 6 2 1 3	86 29 44 10 2 2 132	52 49 5 40 2 8 2 1	131 135 34 84 12 8 4 1 5 161	10·2/ 10·5/ 2·6/ 6·5/ 0·9/ 0·6/ 0·3/ 0·0/ 0·3/ 12·6/
Total from all Causes	 63	42	71	39	109	44	57	47	59	49	65	36	48	30	59	29	60	30	47	40	73	46	87	45	798	477	1275	100.0

TT	ger	0	FER	7.7	AT	per
PA O	h	OT	1 6	hle	No.	5
110.	6)	UL	1.0		7 110.	U.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths is each class.
1	Angina Maligna, 1; Cholera Infantum, 1; Continued Fever, 6; Croup, 63; Diarrhea, 58; Diphtheria, 34; Dysentery, 61; Erysipelas, 1; Febris Miliaris, 1; Fever, 13; Fever and Ague, 2; Gastric Fever, 26; Gastric Remittent Fever, 2; Hereditary Syphilis, 1; Whooping Cough, 6;	
	Inflammation of the Throat, 4; Influenza, 5; Intermittent Colonial Fever, 1; Low Fever, 7; Low Typhus Fever, 1; Native Pox, 1; Nervous Fever, 1; Puerperal Fever, 2; Remittent Fever, 6; Rheumatic Fever, 3; Scarlatina, 19; Scarlatina Maligna, 3; Scarlatina Typhosa, 1; Sequelæ Scarlatinæ, 4; Syphilis, 1; Thrush, 12; Typhoid Fever, 2; Typhoid Scarlet Fever, 3; Typhus Fever, 4; Ulcerated Sore Throat, 12; Uterine Phlebitis, 1	369
2	Abscess, 6; Anasarca, 1; Asthenia, 2; Atrophy, 30; Cancer, 9; Debility, 12; Debility from Birth, 10; Debility, Febrile, 3; Debility, General, 11; Debility, Nervous, 1; Decline, 3; Diseased Bone near left Ear, 1; Dropsy, 20; Effusion into Brain and Pericardium, 1; Exposure to Wet and Cold after Childbirth, 1; Fistula, 1; Found Dead, 6; Fungus Hæmatodes, 1; Gangrene of the Abdomen, 1; Gangrene of the Lungs, 1; Hæmoptysis, 1; Hæmorrhage, 2; Hectic Fever produced by Abscess, 1; Ill from Birth, 1; Imperfect Respiration, 1;	
	Inanition, 1; Infantile Disease, 4; Inflammation, 4; Land Scurvy, 1; Malformation, 3; Malignant Disease, 1; Malignant Tumour, 1; Marasmus, 21; Mortification, 1; Natural Causes, 21; Natural Death, 1; Premature Birth, 18; Purpura Hæmorrhagica, 1; Rachitis, 1; Rupture of a Bloodyessel, 4; Scurvy, 3; Severe Cold, 3; Spina Bifida, 1; Sudden	
3	Death, 1; Ulcer on the Back, 1; Visitation of God, 2; Want of Vitality, 1 Apoplexy, 8; Apoplexy from Exposure to the Heat of the Sun, 4; Brain Fever, 1; Cephalitis, 1; Corebritis, 1; Congestion of the Brain, 9; Convulsions, 75; Delirium Tremens, 3; Disease of Spine, 2; Effusion on the Brain, 2; Hemiplegia, 1; Hydrocephalus, 13; Meningitis, 2; Paralysis, 4; Serous Apoplexy from continued Intemperance, 1; Softening	222
4.	of the Brain, 1; Spine and Brain Affected, 1; Tetanus, 1; Traumatic Tetanus, 1 Asthma, 2; Bronchitis, 12; Congestion of the Lungs, 2; Consumption, 36; Diffused Suppuration of left Lung, 1; Disease of the Chest, 2; Disease of the Lungs, 5; Disease of the Respiratory Organs, 1; Inflammation of the Chest, 2; Inflammation of the Lungs, 17;	131
5	Inflammation of the Windpipe, 1; Hydrothorax, 3; Laryngitis, 1; Œdema Pulmonum, 1; Phthisis, 32; Pneumonia, 11; Pulmonary Apoplexy, 1; Quinsy, 3; Tubercles of the Lungs, 1 Aneurism, 1; Aneurism Aortæ, 1; Aneurism of the Heart, 1; Angina Pectoris, 1; Congestion of the Heart, 1; Disease of the Aortic Valves of the Heart, 1; Disease of the Heart, 25;	134
6	Pericarditis, 2; Rheumatic Endocarditis, 1	34
7	Tumour on the Liver, 1; Ulceration of the Bowels, 1; Ulceration of the Stomach, 1 Bright's Disease, 3; Chronic Cystitis, 1; Disease of the Bladder, 1; Disease of the Kidneys, 3; Retention of Urine, 1; Rupture of the Bladder, 1; Stricture, 2	84
8	Childbirth, 5; Chlorosis, 1; Disease of Uterus, 1; Exhaustion from Childbirth and Previous Debility, 1	8
9	Disease of Hip Joint, 1; Rheumatism, 3	1
11 12	Old Age, 5 Accidental Death, 3; Bite of a Snake, 2; Burns, 12; Concussion of the Brain, 1; Drowned Accidentally, 68; Effects of Opium, 1; Exhaustion from Maltreatment after Childbirth, 1; Exposure to Wet and Cold after Childbirth, 1; Fall from a Horse, 11; Fall from a Wharf when Intoxicated, 1; Fall from Fore-top to Deck, 1; Falling in of a Coal-pit, 1; Fits caused by Intemperance, 1; Found Drowned, 8; Fracture of Femur, 1; Fracture of Spine, 1; Gun-shot Wound, 1; Injury of Spine, 1; Intemperance, 4; Kick of a Horse, 1; Killed by a Dray-wheel passing over the Head, 1; Killed by the Aboriginals, 6; Killed by the Fall of a Tree, 2; Loss of Blood and Exhaustion, 1; Murdered, 2; Pistol-shot Wound, 1; Poisoned by Strychnine, 1; Poisoned by eating Berries, 1; Scald, 1; Starva-	5
	tion, 3; Strangulation, apparently by Violence, 1; Suffocation from a Rag forced into the Throat, 1; Suffocation from Swallowing Maize, 1; Suffocation in Bed, 1; Suicide, 2; Suicide by Drowning, 1; Suicide by Poison, 2; Suicide by Shooting, 1; Sunstroke, 11 Unspecified or Ill Defined	161 97
	Total from all Causes	1,275

No. 1 of Table No. 6.

SUMMARY of DEATHS of MALES Registered in BRISBANE, from 1st January to 31st December, 1863.

Causes of Deat	н.	Under 1 year.	1 to 2.	to	to	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	to	30 to 35.	to	40 to 45.	to	50 to 55.	100	100	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on Total Deaths.
1. Zymotic Diseases		 27	19	5	3	6	60	7	2	3	1	3	4	1		1		1	2	1			1				1	88	32.23
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs		 27 13 4 7	7 3 6	2 1 1 1		 F	37 19 6 14 		i 	2	 5 	1 2 5 1 		2 1 1	1 4 1 	 1 1 	 1 		 1									43 24 28 5 15 4	15·75 8·79 10·26 1·83 5·49 1·47
10. Of Integumentary Syste 11. Old Age 12. External Causes Unspecified	m 	 1 12	1	3	 1	2	 2 22		 1	 2 1		 6 1	4	4	 4 1			 1		2			1		1		3	2 23 41	0.73 8.42 15.02
Total from all Causes		 91	40	13	7	9	160	13	4	8	10	19	14	9	12	4	1	2	3	4			2		1		7	273	99.99

No. 2 of Table No. 6. Summary of Deaths of Females Registered in Brisbane, from 1st January to 31st December, 1863.

Causes of Death	н.	Under 1 year.	to	2 to 3.	09	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	07	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	2.	Total.	Per centage on Total Deaths.
1. Zymotic Diseases		 15	16	7	2	5	45	7	2	2	3	4	3	3	1	1				 							71	30.87
Sporadio Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs		 26 7 1 8	6 2 1 6	2		1	38 11 2 14	1	1 2	3	3 1 5	1 1 3 	2 3 3	1 1 2 1 1	1		1	2		 							50 16 22 1 22	21·74 6·96 9·57 0·43 9·57
 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 		 									i 		1	1						 2						1	3 1 	1·30 0·43
12. External Causes Unspecified		 7	5	1			13	5 3	1	1	1	1	2	2	1	1		1	1	 2						1 4	11	4·78 13·04
Total from all Causes		 64	36	10	7	6	123	19	6	8	14	10	14	12	4	3	1	4	1	 4	1					6	230	99-99

No. 3 of Table No. 6.
Summary of Deaths of Males and Females Registered in Brisbane, from 1st January to 31st December, 1863.

		year.					der 5 years																					of	all ges.	Total.	ge on eaths.
CAUSES OF DEATH.		Under 1 y	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total und	5 to 10.	10 to 15.	to	20 to 25.	40	30 to 35.	35 to 40.	40 to 45.	40	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	7	Males.	Females.	Grand To	Per centage on Total Deaths
1. Zymotic Diseases		42	35	12	5	11	105	14	4	5	4	7	7	4	1	2		1	2	1			1				1	88	71	159	31.61
6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary Syste 11. Old Age 12. External Causes	 em	20 5	12	1	1	1 1 2	75 30 8 28 235	1 2 1 7		1 3 2 3 2	3 2 10 1 4	3 8 1 6	2 1 8 3 1	1 1 1 1 1 	2 4 1 1 1 1 4	1 1 2	1	1	i	1	2		1		 		 1	43 24 28 5 15 4 2 23	16 22 1 22 3 1	40 50 6 37 4 3 1 5 34	1·19 7·36 0·80 0·60 0·20 0·99 6·76
Unspecified Total from all Causes		155			14			-				_		4	_	7	2										19	41	30	71 503	14.12

No. 4 of Table No. 6.

TABLE showing the actual number of Deaths of Males and Females in each Class, Registered in Brisbane, during each of the Twelve Months from 1st January to 31st December, 1863, together with the per centage of the Total Deaths of the Class.

	JA	N.	FF	В.	M	AR.	API	RIL	Ма	у.	Jun	NE.	Jui	LY.	At	JG.	SEI	PT.	00	T.	No	v.	DE	sc.	ToT	AL.	.l.	on aths of
CAUSES OF DEATH.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.	Per centage o Total Deat the Class.
1. Zymotic Diseases	 11	7	7	8	8	5	9	7	3	5	6	2	3	3	2	5	5	4	7	8	12	10	15	7	88	71	159	31.61
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs	 7 1 1 2	6 1 3 4	9 5 3 1 2 1	1	5 2 2 1 4 1		1	4 1 5 1	1 1	7 4 2 1	2 2 1 1		2		3			2 1	3 2 5 1	2 1 2	6 5 3 2	1 2	1 3 4 1	4 2 3 1	43 24 28 5 15 4	16 22 1	93 40 50 6 37 4 3	18·49 7·95 9·94 1·19 7·36 0·80 0·60 0·20
10. Of Integumentary Organs 11. Old Age 12. External Causes Unspecified	 4	2	2 9	2	1	1 2	1	4	 2 4	4	2 1 3	3	1 3	1	2 5	1	 1 5	1	6	1 5	2 5		6 5	5	23 41		5 34 71	0·99 6·76 14·12
Total from all Causes	 26	24	38	3 22	25	19	18	22	13	23	18	9	13	15	18	14	15	9	24	19	35	31	35	23	273	230	503	100.01

No. 5 of Table No. 6.

o. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Continued Fever, 3; Croup, 17; Diarrhœa, 38; Diphtheria, 6; Dysentery, 15; Febris Miliaris, 1; Fever, 5; Fever and Ague, 2; Gastric Fever, 22; Gastric Remittent Fever, 2; Whooping Cough, 2; Inflammation of the Throat, 2; Influenza, 2; Low Fever, 2; Nervous Fever, 1; Puerpéral Fever, 1; Remittent Fever, 2; Rheumatic Fever, 1; Scarlatina, 12; Sequelæ Scarlatinæ, 1; Thrush, 7; Typhoid Fever, 1; Typhoid Scarlet Fever, 3; Typhus Fever, 3; Ulceration of the Throat, 7; Uterine Phlebitis, 1	159
2	Phlebitis, 1	
3	19; Natural Causes, 4; Natural Death, 1; Nervous Debility, 1; Premature Birth, 8; Rachitis, 1; Spina Bifida, 1; Ulcer on the Back, 1; Want of Vitality, 1	93
4	Meningitis, 1	40
5	Quinsy, 1	50
6	Heart, 3; Rheumatic Endocarditis, 1 Enteritis, 1; Gastritis, 3; Gastro-intestinal Irritation, 1; Hepatic Disease, 2; Inflammation of the Navel String, 1; Inflammation of the Bowels, 2; Mortification of the Bowels, 1;	6
7	Peritonitis, 1; Stomach Disease, 3; Stricture of the Œsophagus, 1; Teething, 19; Tumour on the Liver, 1; Tabes Mesenterica, 1	37
8	Bright's Disease, 3; Stricture, 1	3
9	Disease of the Hip Joint, 1	1
11 12	Old Age, 5	5
	Suffocation in Bed, 1; Suicide by Strychnine, 1	34 71
	Total from all Causes	503

No. 1 of Table No. 7.

SUMMARY of DEATHS of MALES Registered in IPSWICH, from 1st January to 31st December, 1863.

CAUSES OF DEATH.	Under 1 year.	07	40	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	00	00	25 to 30.	100	35 to 40.	07	t.0	50 to 55.		60 to 65.	07	100	75 to 80.	03	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	 4	6	4	3	2	19	1	1	1									1			1						24	27.91
Sporadic Diseases. 2. Of Uncertain Seat	 2					2		1						2		2	1	4									12	13.95
3. Of Nervous System	 10	3				13						1		1													15	17.4
4. Of Respiratory System	 3	1	1			5					1	3			2						1						11	12.79
5. Of Circulatory System	 										1	2		1		1	T	2					1		1		8	9.3
6. Of Digestive Organs	 3	2				9					1		9			7			Т								3	8.1
7. Of Urinary Organs 8. Of Generative Organs	 				• • •								4			-											0	9 4
9. Of Locomotive Organs																												
0. Of Integumentary System																									1			
1. Old Age																												
2. External Causes								1		1	1	1		1												1	6	6.9
Unspecified																												
Total from all Causes	 22	12	5	3	2	44	1	3	1	1	4	7	2	5	2	4	2	7	1		1					1	86	100.0

No. 2 of Table No. 7.

SUMMARY of DEATHS of FEMALES Registered in IPSWICH, from 1st January to 31st December, 1863.

CAUSES OF DEATH,	Under 1 year.	to	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	100	10	30 to 35.	35 to 40.	40 to 45.	to	40	55 to 60.	100	07	100	07	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?.	Total.	Per centage on Total Deaths,
1. Zymotic Diseases	 3	5	4			12					1	1			1												15	25.00
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System	 3 8 2	1 3		1	1	6 11 3	1 1	1		1	``i	1			1	2	1	 1		1							14 13 6	23·33 21·67 10·00
5. Of Circulatory System6. Of Digestive Organs7. Of Urmary Organs	 2					2							1	1													3	5·00 1·67
8. Of Generative Organs 9. Of Locomotive Organs	 																											
0. Of Integumentary System 1. Old Age																												
2. External Causes Unspecified		1		ï		2	1		1	1	1	1															4 4	6·67 6·67
Total from all Causes	 18	10	4	2	2	36	4	1	1	3	3	3	1	1	2	2	1	1		1							60	100.01

No. 3 of Table No. 7.

SUMMARY of DEATHS of Males and Females Registered in Ipswich, from 1st January to 31st December, 1863.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	03	100	100	55 to 60.	100	65 to 70.	00	07	07	20	90 to 95.	95 to 100.	?	of	Hemales.	Grand Total.	Per centage on Total Deaths.
1. Zymotic Diseases	7	11	8	3	2	31	1	1	1		1	1			1			1			1						24	15	39	26.7]
3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs		6 1 2			1	24 8 7	1	2			1 1 1 1			1	2	1	1	1 2	1							1	12 15 11 8 7 3 6	14 13 6 3 1 4 4	26 28 17 8 10 4 10 4	17:81 19:18 11:64 5:48 6:85 2:74 6:85 2:74
Total from all Causes	40	22	9	5	4	80	5	4	2	4	7	10	3	6	4	6	3	8	1	1	1					1	86	60	146	100.00

No. 4 of Table No. 7.

Table showing the actual number of Deaths of Males and Females in each Class Registered in Ipswich, during each of the Twelve Months from 1st January to 31st December, 1863, together with the per centage of the Total Deaths of the Class.

		JA	N.	Fi	EB.	MA	AR.	AP	RIL	M	AY.	Ju	NE.	Ju:	LY.	Au	G.	SE	PT.	00	CT.	No	v.	Di	cc.	Тот	AL.		of the on
CAUSES OF DEATH.		Males.	Females.	Grand Total.	Per centage of Total Deaths the Class.																								
1. Zymotic Diseases		1	2	2	1	1	2	3		3	3	4	2	3	1	2		1	1	1		2	1	1	2	24	15	39	26.71
Sporadic Diseases.																													
2. Of Uncertain Seat		1	1					1	2	2	1		2	3	4	1		1	3			1		2		12	14	26	17.81
3. Of Nervous System	***	5	2	1		3	3		2	1	1	1	1	1	2							1	1	2	1	15	13	28	19.18
4. Of Respiratory System		1				1	1			1	1	2	1	1				1	1	2		1		1	2	11	6	17	11.64
5. Of Circulatory System				1		1						3				2						1				8		8	5.48
6. Of Digestive Organs				4		1		1	2			1					1									7	3	10	6.85
7. Of Urinary Organs		1	1	1								1														3	1	4	2.74
8. Of Generative Organs																													
9. Of Locomotive Organs																													
10. Of Integumentary System																													
11. Old Age																													
12. External Causes			1	1			1	1			1	1										1		2	1	6	4	10	6.8
Unspecified					1		1								1										1		4	4	2.74
Total from all Causes		9	7	10	2	7	8	6	6	7	7	13	6	8	8	5	1	3	5	3		7	2	8	8	86	60	146	100.00

No. 5 of Table No 7.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1 .	Cholcra Infantum, 1; Croup, 17; Diarrhœa, 5; Diphtheria, 5; Dysentery, 6; Erysipelas, 1; Fever, 1; Gastric Fever, 1; Rheumatic Fever, 1; Thrush, 1	39
2	Atrophy, 2; Cancer in the Face, 1; Cancer in the Liver, 1; Cancer in the Throat, 1; Debility, 2; Dropsy, 7; Fistula, 1; Fungus Hæmatodes, 1; Hæmorrhage, 1; Malignant Disease, 1; Natural Causes, 5; Premature Birth, 2; Rupture of a Bloodvessel, 1	26
3	Apoplexy, 2; Convulsions, 24; Disease of Spine, 1; Hydrocephalus, 1	28
4	Bronchitis, 1; Consumption, 11; Disease of Lungs, 1; Inflammation of the Chest, 1; Inflammation of the Lungs, 2; Phthisis, 1	17
5	Aneurism, 1; Aneurism Aortæ, 1; Disease of the Heart, 5; Pericarditis, 1	8
6	Icterus, 1; Inflammation of the Bowels, 2; Teething, 6; Ulceration of the Stomach, 1	10
7	Disease of the Bladder, 1; Disease of the Kidneys, 3	4
8		
9		
10		
11		
12	Burns, 1; Accidentally Drowned, 1; Drowned, 1; Found Drowned, 1; Effects of Opium, 1; Fall from a Horse, 1; Falling in of a Coal-pit, 1; Fits caused by Intemperance, 1; Injury of Spine, 1; Sunstroke, 1	10
	Unspecified	4
	Total from all Causes	146

No. 1 of Table No. 8.

SUMMARY of DEATHS of Males Registered in Rockhampton, from 1st January to 31st December, 1863.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Totalunder 5 years	5 to 10.	10 to 15.	40	07	25 to 30.	to	35 to 40.	40 to 45.	45 to 50.	07	07	07	to	07	75 to 80.	to	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	11	9	7	3	3	33	3			2	4	4		1		2										2	51	35.17
Sporadic Diseases.																												
2. Of Uncertain Seat	6					6				1	1	4	4		1	2				1						1	21	14.48
3. Of Nervous System	2	1		1		4						1		2	1												8	5.52
4. Of Respiratory System				1		1				1	1	2	1	.1			1										8	5.52
5. Of Circulatory System											2	1					1										4	2.76
6. Of Digestive Organs	3		1			4							1	1												1	7	4.83
7. Of Urinary Organs												1															1	0.69
8. Of Generative Organs																												
9. Of Locomotive Organs																												
10. Of Integumentary System																												
11. Old Age																												
12. External Causes							2	1	1	2	3	6	2	1	3	2										7	30	20.69
Unspecified	7					7							1	3		2		1								1	15	10.34
Total from all Causes	29	10	8	5	3	55	5	1	1	6	11	19	9	9	5	8	2	1		1						12	145	100.00

No. 2 of Table No. 8.

SUMMARY of DEATHS of FEMALES Registered in ROCKHAMPTON, from 1st January to 31st December, 1863.

Causes of Death.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	07	40	to	45 to 50.	to	07	07	40	70 to 75.	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	 •••	8	10	2		2	22	3		1	3	1						1										31	44.93
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs	 	4 3 2	1 2	 1	1 2 		5 4 3 1 6				1	1			1													8 4 5 1 7	11·59 5·80 7·25 1·45 10·14
7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary Systems					•••			•••			1		1 		1													2 1 	2·90 1·45
11. Old Age 12. External Causes Unspecified	 	2		1	1		1 4	2		1		1																4 6	5·80 8·70
Total from all Causes	 	19	13	5	6	3	46	8		2	6	3	1		2			1										69	100.01

No. 3 of Table No. 8.

SUMMARY of DEATHS of Males and Females Registered in Rockhampton, from 1st January to 31st December, 1863.

		ear,					r 5 years																				2	of	all ges.	Total.	ige on
	CAUSES OF DEATH.	Under 1 y	40	2 to 3.	3 to 4.	07	Total under	5 to 10.	10 to 15.	15 to 20.	10	25 to 30.	to	10	40 to 45.	to	00	60	to	100	to	100	100	85 to 90.	90 to 95.	95 to 100.	· -	Males.	Females.	Grand To	Per centage on
1.	Zymotic Diseases	19	19	9	3	5	55	6		1	5	5	4		1		2	1									2	51	31	82	38.3
0	Sporadic Diseases. Of Uncertain Seat	10			7		11	7			9	7	4	4	1	7	2				1						1	21	8	29	13.5
	Of Uncertain Seat Of Nervous System	5	1	7	7		8	-					1		2	1												8	4	12	5.6
4	Of Respiratory System	0	-	1	3		4	1			1	2	2	1	1			1										8	5	13	6.0
5	Of Circulatory System		1				4					2	1					1										4	1	5	2.3
6.	Of Digestive Organs	5	2	1	1	1	10				1			1	1												1	7	7	14	6.5
7	Of Tringry Organs												1															1		1	0.4
8.	Of Generative Organs										1		1																2	2	0.9
9.	Of Locomotive Organs						22.								1														1	1	0.4
.0.	Of Integumentary System																														
1.	Old Age																										· · ·	90	4	34	15.8
2.	External Causes Unspecified	9		1	1		1 11	-		1			6	2	3	3												30 15	6	21	9.8
	Total from all Causes	48	23	13	11	6	101	13	1	3	12	14	20	9	11	5	8	3	1		1						12	145	69	214	100.

No. 4 of Table No. 8.

Table showing the actual Number of Deaths of Males and Females in each Class, Registered in Rockhampton, during each of the Twelve Months from 1st January to 31st December, 1863, together with the per centage of the Total Deaths of the Class.

	JA	N.	FI	ев.	MA	R.	AP	RIL	MA	Y.	Ju	NE.	Ju	LY.	Ατ	JG.	SEI	PT.	0	CT.	NO	ov.	Di	EC.	Тот	AL.		ths of
CAUSES OF DEATH.	Males.	Females.	Grand Total.	Per centage total Deaths the Class.																								
1 7 /: D:	3	5	5	1.	14		5	2	1	4	2	2	1		4.	3	*5	3	4	6	4	1	3	1	51	31	82	38.32
1. Zymotic Diseases	 9	0	9	4	14		0	1	1	T	4	-	1		7		0											
Sporadic Diseases. 2. Of Uncertain Seat	 1	2	1		9			2	1	1	2		2		2		2			1		1	1	1	21	8	29	13.5
3. Of Nervous System	 1			1	4		1		1						1					1				2	8	4	12	5.6
4. Of Respiratory System	2				2				2	1	1							3			1			1	8	5	13	6.0
5. Of Circulatory System					2	1			1														1		4	1	5	2:3
6. Of Digestive Organs					1		1					1	1		1	2	2	1	1	1		1		1	7	7	14	6.5
7. Of Urinary Organs															1										1		1 2	0.9
8. Of Generative Organs				1								1														2	1	0.4
9. Of Locomotive Organs										1																1	1	
0. Of Integumentary System																												
1. Old Age					1																1			7	30	4	34	15.8
2. External Causes	 2		2		5		1		3		4	1	4		3			1			1		5	1	15	6	21	9.8
Unspecified	 4	2		1	6	2	1	1	1		1										1 2				19	0	21	00
Total from all Causes	 13	9	8	7	43	4	9	5	10	7	10	5	8		12	5	9	8	5	9	8	3	10	7	145	69	214	100.0

No. 5 of Table No. 8.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Angina Maligna, 1; Chronic Diarrhœa, 1; Continued Fever, 3; Croup, 5; Diarrhœa, 8; Diphtheria, 7; Dysentery, 24; Dysentery and Perforation of the Intestine, 1; Fever, 1; Gastric Fever, 1; Whooping Cough, 4; Influenza, 2; Low Fever, 2; Native Pox, 1; Remittent Fever, 4; Scarlatina, 5; Scarlatina Maligna, 3; Scarlatina Typhosa, 1; Sequelæ Scarlatinæ, 3; Typh oid Fever, 1; Typhus Fever, 1; Ulcerated Sore Throat, 3	82
2	Abscess in the Bladder, 1; Asthenia, 2; Cancer in the Stomach, 1; Debility from Birth, 1; General Debility, 8; Hæmorrhage, 1; Ill from Birth, 1; Natural Causes, 7; Premature Birth, 1; Purpura Hæmorrhagica, 1; Rupture of Bloodvessel, 2; Scurvy, 2; Severe Cold, 1	29
3	Apoplexy, 1; Cephalitis, 1; Convulsions, 4; Delirium Tremens, 1; Effusion on the Brain, 1; Hydrocephalus, 3; Paralysis, 1	12
4,	Chronic Bronchitis, 1; Consumption, 2; Inflammation of the Lungs, 2; Phthisis, 5; Pneumonia, 2; Quinsy, 1	13
5	Congestion of the Heart, 1; Disease of the Heart, 4	5
6	Gastritis, 1; Helminthiasis, 2; Hepatitis, 2; Inflammation of the Bowels, 1; Intussusception, 1; Peritonitis Puerperalis, 1; Tabes Mesenterica, 5; Teething, 1	14
7	Retention of Urine, 1	1
8	Childbirth, 1; Chlorosis, 1	2
9	Rheumatism, 1	1
10		
11		
12	Accidental Death, 1; Bite of a Snake, 2; Burns, 2; Drowned, 8; Drowned Accidentally, 6; Found Drowned, 1; Fall from a Wharf when Intoxicated, 1; Intemperance, 1; Killed by the Aboriginals, 4; Loss of Blood and Exhaustion, 1; Scald, 1; Suffocation from Swallowing Maize, 1; Sunstroke, 5	34
	Unspecified or Ill-defined	21
	Total from all causes	214

No. 1 of Table No. 9.

SUMMARY of DEATHS of MALES, Registered in DRAYTON and Toowoomba from 1st January to 31st December, 1863.

CAUSES OF DEATH,	Under 1 year.		2 to 3.	8 to 4.	4 to 5.	Total under 5 year	0 10	2	15 to 20.	to	2		40 to 45.	07	to	40	60 to 65.	40	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	5.	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	5	1	2		2	10	2						1													14	26.42
	 -						-			1																TT	20 12
Sporadic Diseases. 2. Of Uncertain Seat				1		7	7								1		1									1	7.55
3. Of Nervous System	 6	7		-		7	-			1					-											4 8	15.09
4. Of Respiratory System	 0	1				1	7			1	7	7	7		7	7										8	15.09
5. Of Circulatory System	 					-	1.			1	1	1	1		1	-										2	3.77
6. Of Digestive Organs	 7	1				2	7		7	1						1									7	6	11.32
7. Of Urinary Organs	 1	Т				4	1		1							-									1	7	1.89
8. Of Generative Organs									1	1																1	
9. Of Locomotive Organs																7										7	1.89
0. Of Integumentary System																1										1	100
1 012 400																											
2 Fytomal Course	 		7			7			1		7		7	7	9										7	8	15.09
TT '0 1	 		-			1.			1		1		7	1	7										7	1	1.89
Unspecified															1											1	100
Total from all Causes	 12	4	3	1	22	22	5		2 3	2	2	2	3	1	5	3	1								2	53	100.00

No. 2 of Table No. 9.

SUMMARY of DEATHS of FEMALES Registered in DRAYTON and TOOWOOMBA from 1st January to 31st December, 1863.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	8 to 4.	4 to 5.	Total under 5 year	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	100	07	40	40	65 to 70.	70 to 75.	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	 1	1		2	1	5	1																				6	20.69
Sporadic Diseases.																												
2. Of Uncertain Seat	 1			1		2	1							1	1	1											6	20.69
3. Of Nervous System	 3		1			4	1					1															6	20.69
4. Of Respiratory System	 1	1	1			3					1																4	13.79
5. Of Circulatory System												1															1	3.45
6. Of Digestive Organs	 1				1	2																					2	6.90
7. Of Urinary Organs																												
8. Of Generative Organs											2																2	6.90
9. Of Locomotive Organs	 																											
O. Of Integumentary System	 																					1						
1. Old Age	 																											
2. External Causes	 1					1	1																				2	6.90
Unspecified																												
Total from all Causes	 8	2	2	3	2	17	4				3	2		1	1	1											29	100.01

No. 3 of Table No. 9.

SUMMARY of DEATHS of Males and Females Registered in Drayton and Toowoomba from 1st January to 31st December, 1863.

	year.					er 5 years																				of	all ges.	Total.	ge on Deaths.
CAUSES OF DEATH.	Under 1	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total und	5 to 10.	15 to 20.	07	to		to	60	45 to 50.	100	55 to 60.	07	00	70 to 75.	07	100	85 to 90.	90 to 95.	95 to 100.	?	Males.	Females.	Grand To	Per centage on Total Deaths.
1. Zymotic Diseases	6	2	2	2	3	15	3	 	1				1													14	6	20	24:39
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System	9	1	1	2		3	1	 		1	1															4 8	6	10 14	12·20 17·07
 Of Respiratory System Of Circulatory System Of Digestive Organs 	2	1			1	4	1	 1	1.	2	1	1	1		1	1									1	8 2 6	1 2	12 3 8	14·63 3·66 9·76
7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs								 1																		1	2	1 2	1·22 2·44 1·22
10. Of Integumentary System 11. Old Age								 																					
12. External Causes Unspecified	1		1			2	1	 	1.		1.		1	1	2										1	8	2	10	12·20 1·22
Total from all Causes	20	6	5	4	4	39	9	 2	3	5	4	2	4	2	6	3	1								2	53	29	82	100.01

No. 4 of Table No. 9.

Table showing the actual number of Deaths of Males and Females in each Class, Registered in Drayton and Toowoomba, during each of the Twelve Months from 1st January to 31st December, 1863, together with the per centage of the Total Deaths of the Class.

	JA	N.	F	EB.	M	AR.	API	RIL	MA	Y.	Ju	NE.	Ju	LY.	At	JG.	SE	PT.	Oc	т.	No	v.	D	EC.	Ton	AL.		tage on Deaths of
Causes of Death.	Males.	Females.	Grand Total	Per centage Total Deat																								
1. Zymotic Diseases					4		1	2	4	2	2	1			2	1	1								14	6	20	24.3
Sporadic Diseases.															7	-	-						-		,	0	7.0	10.0
2. Of Uncertain Seat	 			1		2					1	1			1	1	1			1			1		4	6	10	12.2
3. Of Nervous System					1		3		1			5		1			2		1						8	6	14	17.0
4. Of Respiratory System	 2				1		1		1	1	1	1				1			1		1	1			8	4	12	14.6
5. Of Circulatory System																	1			1	1				2	1	3	3.6
6. Of Digestive Organs	 7		1	1	3					1	1														6	2	8	9.7
7. Of Urinary Organs					1																				1		1	1.2
8. Of Generative Organs				1										7												2	2	2.4
9. Of Locomotive Organs	 			-											1										7		1	1.2
	 														-										-		-	
O. Of Integumentary System	 																											
1. Old Age	 																										7.0	10.0
2. External Causes	 1				4												1		T	1	T	7			8	2	10	12.2
Unspecified	 										1														1		1	1.2
Total from all Causes	 4		1	3	14	2	5	2	6	4	6	8	-	2	4	3	6		3	3	3	2	1		53	29	82	100.0

No. 5 of Table No. 9.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Croup, 3; Diarrhea, 1; Diphtheria, 10; Gastric Fever, 1; Inflammation of the Throat, 2; Low Fever, 1; Rheumatic Fever, 1; Thrush, 1	20
2	Atrophy, 2; Cancer, 1; Dropsy, 2; Hæmoptysis, 1; Malignant Tumour, 1; Marasmus, 1; Mortification, 1; Natural Causes, 1	10
3	Convulsions, 11; Hydrocephalus, 3	14
4	Bronchitis, 1; Congestion of the Lungs, 1; Consumption, 4; Inflammation of the Lungs, 5; Œdema Pulmonum, 1	12
5	Disease of the Heart, 2; Pericarditis, 1	3
6	Constipation, 1; Gastritis, 2; Inflammation of the Bowels, 2; Liver Complaint, 1; Teething, 2	8
7	Rupture of the Bladder, 1	1
8	Childbirth, 2	2
9	Rheumatism, 1	1
10		
11		
12	Burns, 2; Drowned, 1; Fall from a Horse, 2; Intemperance, 1; Killed by Dray-wheel passing over the Head, 1; Murdered, 1; Suffocated by a Rag forced down the Throat, 1; Suicide, 1	10
	Unspecified, 1	1
	Total from all Causes	82

13

No. 1 of Table No. 10.

Summary of Deaths of Males Registered in Warwick, from 1st January to 31st December, 1863.

CAUSES OF DEATH		Under 1 year.	60	2 to 3.	3 to 4.		Total under 5 years	5 to 10.	to	100	40	40	to	to	to	to	to	60 to 65.	to	to	75 to 80.	40	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	 			1		1	2		 						1												3	6.25
Sporadic Diseases 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified Total from all Causes	 	7 2	1	1	2	1	7 5 1	1		1 3	1 2	1	1 1	 1 	2 1 3 1	1	1 1 1	1 1 2	2	1							17 4 13 3 2 6 	35·42 8·33 27·08 6·25 4·17 12·50

No. 2 of Table No. 10.

SUMMARY of DEATHS of FEMALES Registered in WARWICK, from 1st January to 31st December, 1863.

Causes of Death		Under 1 year.	to	2 to 3.		Total under 5 years	TOT	15 to 20	O to		2	35 to 40.	00	100		9	60	to	40	40	40	40	10	95 to 100.	?	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	 	1		1		2.						1														3	21.43
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs	 	2 1 	1 1 2	 1	 	3. 2				1				1	1											4 2 2 3	28·57 14·29 14·29 21·43
8. Of Generative Organs9. Of Locomotive Organs	 				 																						
 Of Integumentary Syste Old Age External Causes Unspecified 	 				 			•• ••																			
Total from all Causes	 	4	4	2]	10				1		1		1	1											14	100.01

No. 3 of Table No. 10.

SUMMARY of DEATHS of Males and Females Registered in Warwick, from 1st January to 31st December, 1863.

	ear,					er 5 years																				of	all ges.	Total.	ge on leaths.
CAUSES OF DEATH.	Under 1 y	1 to 2.	2 to 3.		4 to 5.	nnd	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35,	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	90 to 95.	95 to 100.		Males.	Females.	Grand To	Per centage on Total Deaths
1. Zymotic Diseases	. 1		2		1	4							1		1											3	3	6	9.6
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System	-4	1				10					 1				3	1	1	1	2	1					4	17	4 2	21 6	33.87
4. Of Respiratory System5. Of Circulatory System	2					5				2	1	1	1 1	1	3	1		1								13	.2	15 3	24·19 4·8
6. Of Digestive Organs 7. Of Urinary Organs																										2	3	5	8.06
8. Of Generative Organs 9. Of Locomotive Organs																													
10. Of Integumentary Syste 11. Old Age	m																												
12. External Causes Unspecified																										6		6	9.68
Total from all Causes	. 13	5	4	2	1	25	1		-	5	2	1	3	1	9	2	3	2	2	1					5	48	14	62	100.0

No. 4 of Table No. 10.

Table showing the actual Number of Deaths of Males and Females in each Class, Registered in Warwick, during each of the Twelve Months from 1st January to 31st December, 1863, together with the per centage of the Total Deaths of the Class.

		J2	LN.	F	EB.	M	R.	AP:	RIL	MA	AY.	Ju:	NE.	Ju	LY.	At	IG.	SE	PT.	0	CT.	No	ov.	Di	sc.	To	FAL.	1.	ge of ths of
CAUSES OF DEATH.	*	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Per centage total Death														
1. Zymotic Diseases									2	1		1			1									1		3	3	6	9.68
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs		2	1	1 1 1	1	5	1	1	1 1 1	2		1 2	1	1 1 1	•••	1 1	1	2 1 1 1 1	1			2 1 1	1	3		17 4 13 3 2	4 2 2 3	21 6 15 3 5	33·87 9·68 24·19 4·84 8·06
7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 0. Of Integumentary System																													
1. Old Age 2. External Causes Unspecified										1				1						2				2		6		6	9.68
Total from all Causes		6.6	3 1	616	3 1	5	1	2	5	5		5	1	4	1	2	1	5	2	4		4	1	. 6		48	14	62	100.00

No. 5 of Table No. 10.

No. of Class of disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Croup, 3; Diarrhœa and Exhaustion, 1; Fever, 1; Thrush, 1	6
2	Cancer Uteri, 1; Decline, 1; Debility from Birth, 8; Dropsy, 2; Found Dead, 3; Hectic Fever produced by Abscess, 1; Malformation, 1; Natural Causes, 2; Visitation of God, 2	21
3	Apoplexy, 1; Congestion of the Brain, 2; Convulsions, 1; Hemiplegia, 1; Hydrocephalus, 1	6
4	Bronchitis, 2; Consumption, 2; Cynanche Tonsillaris, 1; Hydrothorax, 1; Inflammation of the Lungs, 1; Inflammation of the Windpipe, 1; Phthisis, 4; Pneumonia, 3	15
5	Angina Pectoris, 1; Disease of the Heart, 2	3
. 6	Gastritis, 1; Teething, 3; Ulceration of the Bowels, 1	5
7		
8		
9		
10		
11		
12	Accidentally Drowned, 4; Drowned, 1; Fall from a Horse, 1	6
	Total from all causes	62

No. 1 of Table No. 11.

SUMMARY of DEATHS of MALES Registered in Maryborough, from 1st January to 31st December, 1863.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.			20 to 25.	5 5	100	100	100	50 to 55.	100	60 to 65.	07	70 to 75.	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	5.	Total,	Per centage on Total Deaths.
1. Zymotic Diseases	 2	2	3	1	2	10					1								*							11	30.56
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System	 4	1				4 2				1	i	.]	1 1		1 1 1			•••								6 3 5 3	16·67 8·33 13·89 8·33
6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs																											
9. Of Locomotive Organs 10. Of Integumentary System	 																										
11. Old Age	 						2	1	1	1	2]															8	22.22
Total from all Causes	 7	3	3	1	2	16	2	1	1	2 4	1]	3	3		3											36	100.00

No. 2 of Table No. 11.

SUMMARY of DEATHS of FEMALES Registered in MARYBOROUGH, from 1st January to 31st December, 1863.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	40	20 to 25.	25 to 30.	30 to 35.	20	00	45 to 50.	to	55 to 60.	100	to	00	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	P	Total.	Per centage on Total Deaths.
1. Zymotic Diseases	 1	4		2		7	1																				8	40.00
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs	 3 1 1					3 1 1				 1 1					 1 1					1							3 2 2 2 1 1	15·00 10·00 10·00 5·00 5·00
8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System	 																											
1. Old Age	 										1																1	5.00
Total from all Causes	 6	4		2		12	2			2	1				2					1							20	100.00

No. 3 of Table No. 11.

SUMMARY of DEATHS of MALES and FEMALES Registered in MARYBOROUGH, from 1st January to 31st December, 1863.

CAUSES OF DEATH.	er I year.					er 5 years																						tal		n hs.
	Under	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	00	00	40	85 to 90.	90 to 95.	95 to 100.	?	Males.	Females.	Grand Total.	Per centage on Total Deaths.
1. Zymotic Diseases	3	6	3	3	2	17	1				1																11	8	19	33.93
6, Of Digestive Organs 7, Of Urinary Organs 8, Of Generative Organs 9, Of Locomotive Organs 10, Of Integumentary System 11, Old Age 12. External Causes Unspecified						1 3 	1 2	1	1			···				1 1 											6 3 5 3 8 8	3 2 2 2 1 1 1 	9 5 7 5 1 1 9 	16:07 8:93 12:50 8:93 1:79 1:79 16:07

No. 4 of Table No. 11.

Table showing the actual number of Deaths of Males and Females in each Class, Registered in Maryborough during each of the Twelve Months from 1st January to 31st December, 1863, together with the per centage of the Total Deaths of the Class.

		JA	N.	FE	В.	MA	AR.	A.P.	RIL	M.	AY.	Ju	JNE.	Ju	LY.	At	G.	SE	PT.	00	CT.	No	v.	Di	cc.	Тот	AL.		ge of ths of
CAUSES OF DEATH.	#	Males.	Females.	Males.	Emales.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.	Per centage Total Deaths										
1. Zymotic Diseases					1		2	1	1	4	1			1		2	1					1	1	2	1	11	8	19	33.9
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 0. Of Integumentary System 1. Old Age 2. External Causes		1		1 1 1		1	1 1	1	 1	11 11]		1	1			1	1		2 1	1 1	i	 2 1 1	1	6 3 5 3		9 5 7 5 1 1 9	16·0′ 8·9 12·5′ 8·9 1·7′ 1·7′
Z. External Causes Unspecified				1		-																							
Total from all causes		1		3	1	2	4	4	2	7	7 1		L	99	1	3	1	3	2		3	3	2	6	3	36	20	56	100.0

No. 5 of Table No. 11.

Total No. of Deaths is each Class.			ease.	ach Dise	from ea	Deaths 1	mber of	d Nu	es, and	Diseas	Names of]	of Class Disease.	
19	, 2;	rlatina,	1 ; Sca 	Fever,	1; 1	sentery,	4; Dy	eria,	iphthe	1; D	iarrhœa,	Croup, 8; Di	1	
9	s, 1; 	rasmus	1; Ma	nition,	; Ina	Dead, 1	Found I	1; faE	Birth, I ture of	rom I Rup	Debility f Birth, 2	Debility, 2; Premature	2	
5	olexy	A pop	Serous	ens, 1;	Treme	elirium	s, 1; D	lsion	Convul	, 1;	Cerebritis nued Inte	Apoplexy, 1; from conti	3	
7							nisis, 2	Ph	gs, 2;	f Lun	Disease o	Bronchitis, 3;	4	
5											Heart, 5	Disease of the	5	
1									r, 1	Liver	ease of the	Malignant Disc	6	
1					.,,						s, 1	Chronic Cystiti	7	
													8	
													9	
													10	
													11	
9	ently 	Appare	dation	Strangu	d, 1 ;	Drowne	Found	l, 5	owned 	2 ; Dr 	Prowned, 2 ce, 1	Accidentally I by Violen	12	
56							uses	all	l from	Total				

No. 1 of Table No. 12.

SUMMARY OF DEATHS OF MALES Registered in Banana, Broad Sound, Condamine, Dalby, Gayndah, Goondiwindi, Mount Abundance, Nanango, Prak Downs, Port Curtis, Port Denison, Princhester, Springsure, Surat, and Taroom, from 1st January to 31st December, 1863.

	CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	50	to		07		100	40	100	07	65 to 70.	to	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	٥٠.	Total.	Per centage on Total Deaths.
1.	Zymotic Diseases	 	4	3	1			8		1		4	2	3		1	5	2	2									1	29	18.47
3. 4. 5. 6. 7.	Sporadic Diseases. Of Uncertain Seat Of Nervous System Of Respiratory System Of Circulatory System Of Digestive Organs Of Urinary Organs	 	5 8 2	1 3		1	1	7 10 1 5		1		 1 	3	3 1 1	4 2 1 1	3 1 3	2 1 1 	 1	1	1	1			1				4 3 1	24 17 13 4 7	15·29 10·83 8·28 2·55 4·46 0·64
9.	Of Generative Organs Of Locomotive Organs Of Integumentary System	 													ï														1	0.64
11.	Old Age External Causes Unspecified	 	3	1	1			2 4		1	3	7	6	4	6	2	4	3	1	3						1		9 2	51 10	32·48 6·37
	Total from all Causes	 	22	9	2	2	1	36		3	3	13	11	13	16	10	13	6	6	4	1			1		1		20	157	100.01

No. 2 of Table No. 12.

Summary of Deaths of Females Registered in Banana, Broad Sound, Condamine, Dalby, Gayndah, Goondiwindi, Mount Abundance, Nanango, Peak Downs, Port Curtis, Port Denison, Princhester, Springsure, Surat, and Taroom, from 1st January to 31st December, 1863.

	CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	0 1	10 to 15.	07	40	07	09	35 to 40.	40 to 45.	60	to	100	60	100	70 to 75.	100	100	to	90 to 95.	95 to 100.	?	Total.	Per centage on Total Deaths.
1.	Zymotic Diseases		 5	3	1	1	1	11	1			2		1															15	27.27
	Sporadic Diseases.																													
	Of Uncertain Seat		 5	1	1			7		1	1			1															10	18.18
	Of Nervous System		 5	2			1	8													1								9	16.36
4.	Of Respiratory System		 	1				1					1		5													1	8	14.55
5.	Of Circulatory System	***	 																											
	Of Digestive Organs		 1					T										1											2	3.64
	Of Urinary Organs Of Generative Organs		 										7																	
9	Of Locomotive Organs		 																										1	1.82
	Of Integumentary System		1					7																					1	1.82
11.	Old Age																												1	
	External Causes			2		1	1	4		1				1												***		1	7	12.73
	Unspecified		 1	1				2																					2	3.64
	Total from all Causes		 18	10	2	2	3	35	1	2	1	2	2	3	5			1			1	:						2	55	100.01

No. 3 of Table No. 12.

SUMMARY OF DEATHS OF MALES AND FEMALES, Registered in BANANA, BROAD SOUND, CONDAMINE, DALBY, GAYNDAH, GOONDIWINDI, MOUNT ABUNDANCE, NANANGO, PEAK DOWNS, PORT CURIIS, PORT DENISON, PRINCHESTER, SPRINGSURE, SURAT, and TAROOM, from 1st January to 31st December, 1863.

	year.					er 5 years																						tal all es.		age on aths.
CAUSES OF DEATH.	Under 1	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total und	5 to 10.	10 to 15.		07	25 to 30.	00	00	100	07	50 to 55.	10	07	65 to 70.	07	07	40	85 to 90.	90 to 95.	95 to 100.	5.	Males.	Females.	Total.	Per centage Fotal Deaths.
1. Zymotic Diseases	 9	6	2	1	1	19	1	1		6	2	4		1	5	2	2									1	29	15	44	20.7
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 0. Of Integumentary System 1. Old Age	10 13 3 1	3 1 3		1	1	18 1 1 6 		1		1		1	4 7 1 1	1 3	1	1	1		1							4 1	24 17 13 4 7 1 	10 9 8 2 1	26 21 4 9 1 1 1	16:03 12:26 9:91 1:89 4:25 0:47 0:47 0:47
2. External Causes Unspecified	 4	3 2	1	1	1	6		2	3	7	6	5	6	2	4	3	1	3						1		10		7 2	58 12	27·36 5·66
Total from all Causes	 40	19	4	4	4	-	-			15	13	16	21	10	13	7	6	4	2.			1		1		22	157	55	212	99.99

No. 4 of Table No. 12.

Table showing the actual Number of Deaths of Males and Females in each Class registered in Banana, Broad Sound, Condamine, Dalby, Gayndah, Goondiwindi, Mount Abundance, Nanango, Peak Downs, Port Curtis, Port Denison, Princhester, Springsure, Surat, and Taroom, during each of the Twelve Months from 1st January to 31st December, 1863; together with the per centage of the Total Deaths of the Class.

			JA	N.	F	EB.	MA	LR.	AP	RIL	M	AY.	JU	NE.	JU	LY.	A	UG.	SE	PT.	0	CT.	N	ov.	Di	EC.	тот	ral.		e of the of
	C auses of Death.		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Per centage total Deaths the Class.
1.	Zymotic Diseases					1	2	3	2	4	5	1	2	3	5	1	3		3				2	1	5	1	29	15	44	20.75
3. 4. 5. 6. 7. 8. 9.	Sporadic Diseases. Of Uncertain Seat Of Nervous System Of Respiratory System Of Circulatory System Of Digestive Organs Of Urinary Organs Of Generative Organs Of Locomotive Organs Of Integumentary System Old Age	ı	 3	i i	3 2 1	 1 	1 4 1 1	1 2	3 1 1	1	1	2 3 1	3 1 1	2	1 3 1	1 1	3 1 2 1	1	2	1	2	3 2 1	2 2	1	4 1 2	3	24 17 13 4 7 1 	10 9 8 2 1	34 26 21 4 9 1 1	16·03 12·26 9·91 1·89 4·25 0·47 0·47 0·47
	External Causes Unspecified		 2		7	1	3		5		1		4	1	1		4	2	7	2	3		5 2	.2	9		51 10	7 2	58 12	27·36 5·66
	Total from all Causes		 7	1	13	3	13	6	13	5	11	7	12	7	12	3	15	4	19	4	8	6	13	5	21	4	157	55	212	99.99

No. 5 of Table No. 12.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Croup, 10; Diarrhea, 3; Diphtheria, 2; Dysentery, 14; Fever, 4; Gastric Fever, 1; Hereditary Syphilis, 1; Influenza, 1; Intermittent Colonial Fever, 1; Low Fever, 2; Low Typhus Fever, 1; Puerperal Fever, 1; Syphilis, 1; Ulcerated Sore Throat, 2	44
2	Abscess in the Ear, 1; Abscess in the Throat, 1; Atrophy, 2; Debility, 4; Decline, 1; Effects of a Severe Cold, 2; General Debility, 3; Dropsy, 6; Found Dead, 2; Infantile Disease, 1; Inflammation, 2; Natural Causes, 2; Premature Birth, 5; Scurvy, 1; Sudder Death, 1	34
3	Apoplexy, 3; Convulsions, 16; Delirium Tremens, 1; Effusion on the Brain, 1; Hydrocephalus, 2; Paralysis, 1; Softening of the Brain, 1; Tetanus, 1	26
4	Asthma, 1; Consumption 7; Cynanche Tonsillaris, 1; Disease of the Lungs, 2; Disease of the Respiratory Organs, 1; Hydrothorax, 1; Inflammation of the Chest, 1; Inflammation of the Lungs, 3; Phthisis, 1; Pneumonia, 2; Tubercles of the Lungs, 1	21
5	Disease of the Heart, 4	4
6	Colic, 1; Constipation, 2; Enteritis, 1; Gastritis, 3; Teething, 2	9
7	Stricture, 1	1
8	Childbirth, 1	1
9	Rheumatism	1
10	Phlegmon Diffusa, 1	1
11		
12	Burns, 2; Drowned, 17; Drowned Accidentally, 7; Found Drowned, 3; Fall from a Horse, 7; Fracture of the Femur, 1; Fracture of the Spine, 1; Gun-shot wound, 1; Killed by the Aboriginals, 2; Murdered, 1; Poisoned by Strychnine, 1; Poisoned by eating Berries, 1; Pistol-shot Wound, 1; Starvation, 3; Struck by a Falling Tree, 1; Suicide, 1; Suicide by Drowning, 1; Suicide by Poison, 1; Suicide by Shooting, 1; Sunstroke, 5	58
	Unspecified or Ill-defined	12
	Total from all causes	212

TABLE No. 13.

RETURN of the Registration Districts, with the Names of the Persons holding the Office of District Registrar.

METROPOLITAN DISTRICT.

The REGISTRAR-GENERAL.

The Rev. ROBERT CREYKE, Deputy Registrar-General.

COUNTRY DISTRICTS.

Banana		 STAFFORD H. WEBB, C.P.S.
Broad Sound		JAMES GORDON, C.P.S.
CONDAMINE		 GEORGE LIONEL LUKIN, C.P.S.
Dalby		FREDERICK W. ROCHE, Storekeeper.
Drayton		 WILLIAM MURPHY, Chief Constable.
GAYNDAH		MATTHEW AIREY, C.P.S.
Goondiwindi		 ROBERT VINCENT, C.P.S.
IPSWICH		WILLIAM HENDREN, Storekeeper.
Kennedy (Bowen)		 W. C. J. DOUTTY, C.P.S.
LEICHHARDT (Rockhampton)		FRANK NEWELL BEDDECK, C.P.S.
Maranoa (Surat)		 C. F. D. PARKINSON, C.P.S.
MARYBOROUGH		CHARLES CARRINGTON, C.P.S.
MOUNT ABUNDANCE (Roma)		 WILLIAM MOREHEAD, C.P.S.
Nanango		CHARLES F. CUMMING, C.P.S.
PEAK DOWNS (North and South Capella)		 JOHN GEORGE WHEELER, C.P.S.
PORT CURTIS (Gladstone)		JOHN SCORE POWE.
Princhester		 WILLIAM CAVE, C.P.S.
Springsure		HENRY ELLIS, C.P.S.
TAROOM		 ARTHUR E. DOUGLAS, C.P.S.
Warwick		W. H. BROWN, Storekeeper.